

UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Paul M. Scopton Confirmation No.: 8323
Serial No.: 09/498,104 Examiner: Matthew F. DeSanto
Filing Date: February 4, 2000 Group Art Unit: 3763
Docket No.: 1001.1375101 Customer No.: 28075
For: FLUID INJECTABLE SINGLE OPERATOR EXCHANGE CATHETERS AND
METHODS OF USE

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

CERTIFICATE FOR ELECTRONIC TRANSMISSION:

The undersigned hereby certifies that this paper or papers, as described herein, are being electronically transmitted to the
U.S. Patent and Trademark Office on this 13th day of July 2010.

By Kathleen L. Boekley
Kathleen L. Boekley

Dear Sir:

This paper is responsive to the Notice to File Corrected Application Papers mailed on June 28, 2010 with a deadline for response set to expire August 28, 2010.

Applicant asserts that informal drawings were originally filed with the application, and that formal drawings were filed on July 25, 2001. From a review of the drawings in the Image File Wrapper in PAIR, it appears the formal drawings were written on presumably by PTO personnel. A courtesy copy of the previously filed formal drawings is included with this response.

Applicant believes the requirements of the Notice have been satisfied. If a telephone conference might be of assistance, please contact the undersigned attorney at (612) 677-9050.

Respectfully submitted,

Paul M. Scopton

By his Attorney,

Date: July 13, 2010

/j. scot wickhem/
J. Scot Wickhem, Reg. No. 41,376
CROMPTON, SEAGER & TUFTE, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, MN 55403-2420
Tel: (612) 677-9050 Fax: (612) 359-9349